AGRAR



TRAILER CENTER.be

Official distributor of

Schwarte-Jansky



SCHWARTE JANSKY TANK TRAILER

- Higher payload thanks to innovative lightweight design that pays off for you
- Excellent handling and high-quality stainless steel construction
- Production of standardized trailers with short delivery times
- Production according to individual wishes

SCHWARTE JANSKY

SCHWARTE JANSKY AGRARLINER
EFFICIENT AND SAFE

The SCHWARTE JANSKY Agrarliner stands for state-of-the-art technology and maximum reliability in the field of agricultural logistics. Developed to meet the special requirements of agriculture, the AGRARLINER impresses with its robust design, high payload and outstanding maneuverability.



DOCKING FUNNEL

- **Docking funnel** in **DN200 / 8“** slide valve equipped with pneumatic and radio remote control




MECHANICAL PRES-SURE RELIEF VALVE

- The **DN65 pressure relief valve** sensures a safe release of pressure during transportation – especially with highly fermenting material




HIGH-QUALITY PUMPING STATION

- **Pumping system in full stainless steel construction** with large DN200 tank outlets, pneumatic slide valve and a 6,000 liter/min rotary lobe pump (either Börger or Vogelsang)




DRIP TRAY


- A **drip tray** with a volume of approx. **150 liters** collects the material that escapes via the ventilation pipe.



VACUUM SAFETY VALVE

- An additional **vacuum safety valve** provides protection in emergency situations





TANK VENTILATION

- The **tank is ventilated** via a **DN125 / 5”** pipe in connection with a pneumatic slide valve and limit switch for monitoring the tank ventilation
- The pipe is laid through the tank. In this way, the substrate warms the tank ventilation on cold days and protects against frost and ice

FLUSHING PIPE WITH THREE NOZZLES

- Full-length **stirring pipe** with **three outlets reduced to DN76** ensures homogeneous circulation of the biomass after long transport routes



STAINLESS STEEL HOSE TRAY

- A **hose tray with a length of approx. 6 m** ensures safe transportation of the hoses





SCHWARTE JANSKY MODELL PREMIUM
ECONOMICAL AND SAFE ON THE ROAD

With the SCHWARTE JANSKY feeder, you can rely on maximum efficiency and flexibility in agricultural logistics. This versatile transport vehicle is specially designed to transport large quantities of goods safely and reliably – whether for harvesting, supplying livestock or transporting fertilizers.





3 MANHOLES


- 3 manholes on top of the tank to allow access to each chamber. Easy cleaning allows different goods to be transported alternately

DOCKING FUNNEL

- **Docking funnel** in **DN200 / 8”** equipped with pneumatic slide valve and radio remote control

ROBUST FILL LEVEL INDICATOR

- **Visual fill level indicator** with automatic pump stop when the fill level is reached





HIGH-QUALITY PUMPING STATION

- **Pumping system in full stainless steel construction** with large DN200 tank outlets, pneumatic slide valve and a 6,000 liter/min rotary lobe pump (either Börger or Vogelsang)

TANK OUTLET

- The **tank outlet** designed as a **cross channel** ensures efficient draining and prevents unnecessary transportation of residual quantities or deposits






MECHANICAL RELIEF VALVE

- The **DN50 pressure relief** valve ensures a safe release of pressure during transportation – especially with highly fermenting material




VACUUM PROTECTION VALVE

- An additional **vacuum protection valve in DN100** serves as protection in emergency situations



TANK VENTILATION

- The **tank is ventilated via a DN125 / 5”** pipe in connection with a pneumatic slide valve and limit switch for monitoring the tank ventilation
- The pipe is laid through the tank. In this way, the substrate warms the tank ventilation on cold days and protects against frost and ice



STAINLESS STEEL SLIDE VALVE

- High-quality Watergates pneumatic gate valves with stainless steel blade and stainless steel casing to ensure safe operation even with corrosive substances.

FLUSHING PIPE WITH THREE NOZZLES


- Full-length **stirring pipe** with **three outlets reduced to DN76** ensures homogeneous circulation of the biomass after long transport routes





STAINLESS STEEL HOSE TRAY

- A **hose tray with a length of approx. 6 m** ensures safe transportation of the hoses




SPECIAL EQUIPMENT



DN250 / 10” INCL. REMOTE CONTROL

The docking funnel ensures easy transfer at the edge of the field directly into the application vehicle. The pneumatic slide valve in connection with radio remote control guarantees safe opening and closing.



DOCKING FUNNEL AT THE BOTTOM

The docking funnel at the bottom ensures easy transfer at the edge of the field directly into the low-height spreading vehicle. The pneumatic slide valve in connection with radio remote control guarantees safe opening and closing.



ROTARY COUPLING WITH PNEUMATIC SLIDE VALVE

The last valve in the pump system series is also available in a pneumatic version. This is particularly often used in industrial applications.

WALKWAY WITH SAFETY HANDRAIL

Walkway with safety handrail: The original SCHWARTE JANSKY full-length walkway with hinged handrail at the rear guarantees a safe working on the tank. It minimizes the risk and complies with accident prevention regulations, especially when filling via the dome covers.





FILLING DOME

A large filling dome on the tank ensures easy and efficient loading from above. The filling dome can be opened and closed using a switch at the rear and the supplied remote control.

AGRICULTURAL WHEELS 560/60R22.5

Lower ground pressure with better weight distribution. The agricultural tires (560/60R22.5) enable maximum efficiency, even in difficult ground conditions.





SUCTION/OVERLOADING ARM

The arm is suitable for both suction and pressure processes. Its two joints (optional) give the arm a high degree of mobility and adaptability, allowing a wide variety of positions to be achieved.





SCHWARTE JANSKY



TRAILER CENTER - OFFICIAL SCHWARTE-JANSKY DISTRIBUTOR IN BELGIUM

Bart Hebbrecht

BESTUURDER | +32 497 13 14 15

Deisterweg 2
9991 Adegem

info@trailercenter.be

www.trailercenter.be

part of HebbrechtGroup.com